

2024 Product Range

Paintable wallcoverings





ERFURT is your strong partner for textured and smooth wallcoverings for customised colour design. The invention of woodchip wallcoverings by our great-great-grandfather Hugo Erfurt has shaped our company since 1864. At the same time, we have always explored new avenues and successively extended our product range: nonwoven woodchip, smooth and textured nonwoven, technical products and an energy-saving interior wall system. All our products must meet stringent quality standards, with priority being given to the needs of our customers and the usability of the product. As a pioneer in the sector, we actively promote an environmentally-friendly approach and we are constantly optimising our production and processes to become more sustainable. The healthy aspect of our products are just one result of this. Naturally, this product range has been produced using environmentally-friendly methods. We are thrilled to be the right partner for your wonderful wall design.

Henrik Erfurt Felicitas Erfurt Martin Erfurt

Henrik, Felicitas and Martin Erfurt
Wuppertal

Contents at a glance

- Sustainability.....04
- Sustainable raw materials05
- Inspiration06

- Woodchip07

- Nonwoven woodchip11

- Paintable nonwoven wallpaper15
 - 1. Vliesfaser Basic15
 - 2. Vliesfaser Protect21
 - 3. Vliesfaser Ready27
 - 4. Strukturvlies Basic31
 - 5. Strukturvlies Premium37

- Flat Nonwoven41
 - 1. Variovlies41
 - 2. Makulatur lining paper47

- KlimaTec interior wall systems49
 - 1. Thermovlies51
 - 2. RapidBoard53

- Accessories: Paste, filler, seam adhesive57

- PoS Presentation.....60

- Service63





A sense of responsibility to protect human health and conserve the environment has formed an integral part of our company's philosophy for generations. As a family-owned company, it is in our very nature to think about the future.



Climate protection


ERFURT is guided by the 1.5 degree climate target of the Paris Agreement signed at the 2015 United Nations Climate Conference. We are continuously investing in our site and production to save energy.

Resource conservation

Our products are predominantly produced from sustainable resources. Recycled raw materials reduce the volume of waste we produce and our renewable raw materials, FSC®-certified wood fibres, come from responsibly managed forests.

Social sustainability


We are committed to social projects in our region. Our employees and customers are at the heart of everything we do. Our headquarters have been in Wuppertal since 1827 and we are investing in our long-term future.



www.blauer-engel.de/uz35



STANDARD 100
17.0.06525
Hohenstein HTTI



*information on the level of emissions of volatile substances into indoor air associated with a risk of toxicity through inhalation, on a scale from A+ (very low emissions) to C (high emissions)



erfurt.com/sustainability

Our wallcoverings meet our customers' wishes for a healthy, natural living environment, and the desire to protect and preserve the environment through our own actions.



RECYCLED FIBRES

Recycled raw materials reduce our volume of waste. Our raw materials are made of high-quality recycled paper and recycled textile fibres.

RENEWABLE FIBRES

Our natural renewable fibres come from responsibly managed forests.

ERFURT Woodchip

RECYCLED FIBRES

RENEWABLE FIBRES

ERFURT Nonwoven Woodchip

RECYCLED FIBRES

RENEWABLE FIBRES

ERFURT-Variovlies Eco Green

RECYCLED FIBRES

RENEWABLE FIBRES

ERFURT-Variovlies nonwoven

RECYCLED FIBRES

RENEWABLE FIBRES

You can be as flexible as you want to be with this ultra-simple design idea for your working-from-home desk area: simply match the height and width of the corner area to the dimensions of your furniture and adapt your choice of colour to your furnishings. This example shows how the wall design delineates the home office area, separating it from the rest of the room.



The 'Original'

ERFURT- Rauhfaser

Paintable woodchip wallcoverings
with an evenly textured surface

The 'Original': simple to use,
success every time

Eco-friendly and healthy

Free of PVC and plasticisers

Suitable for allergy-sufferers and
moisture-regulating



www.blauer-engel.de/uz35





Rauhfaser-woodchip wallcovering

Proven quality

Traditional ERFURT-Rauhfaser made of 100 % recycled paper is available in three qualities: Classico, Avantgarde and Sprint.

Even novices are guaranteed good wallpapering results with woodchip. And then you can really let your creative juices flow: your personal interior design starts once the woodchip has been applied – using paint or easy-to-apply effects to create walls to make you feel good in an instant.

The benefits at a glance:

- Eco-friendly and healthy
- Free of PVC and plasticisers
- Breathable and moisture-regulating
- Suitable for allergy-sufferers
- Can be re-painted several times

Page 57
Use with:
ERFURT Paste



The 'Original'
– Simple – success
every time



Rauhfaser
Classico





www.blauer-engel.de/uz35



Rauhfaser Classico

Order number: 1003233
 Roll dimensions: 20.0 x 0.53 m/10.6 m²
 Carton content: 6
 Boxes per pallet: 30
 EAN no.: 4000599 008377



Rauhfaser Avantgarde

Order number: 1003234
 Roll dimensions: 20.0 x 0.53 m/10.6 m²
 Carton content: 6
 Boxes per pallet: 24
 EAN no.: 4000599 008414



Rauhfaser Sprint

Order number: 1003232
 Roll dimensions: 20.0 x 0.53 m/10.6 m²
 Carton content: 6
 Boxes per pallet: 39
 EAN no.: 4000599 008391



Particularly low-emission.
Health aspects tested for
use in the nursery.



Rauhfaser
Classico

The 'Original'

ERFURT-Vlies- Rauhfaser

Paintable nonwoven woodchip with an evenly textured surface

The 'Original': simple to use, fast, succeeds every time

Can be applied using the paste-the-wall technique

Covers cracks and is durable

Eco-friendly and healthy

Free of PVC and plasticisers

Suitable for allergy-sufferers and moisture-regulating





Vlies-Rauhfaser

A new focus on modern woodchip

ERFURT-Vlies-Rauhfaser is the modern woodchip wallcovering, which is simple, fast and convenient to hang using the paste-the-wall technique. Experienced home decorators, as well as novices, are guaranteed to get a good result when wallpapering.

The different look of the Vlies-Rauhfaser textures – from ultra-delicate to extra-coarse – offers a wide selection for every style. Whether sophisticated or rustic, use it to create individual lifestyle trends within your own four walls.

The benefits at a glance:

- Can be applied using the paste-the-wall technique
- Covers cracks (Class A cracks) and is durable
- Eco-friendly and healthy
- Free of PVC and plasticisers
- Breathable and moisture-regulating
- Suitable for allergy-sufferers
- Can be re-painted several times
- Easy to remove

The 'Original'
– Simple – fast –
succeeds every time

Page 57
Use with:
ERFURT Paste



Vlies-Rauhfaser
Viva





**STANDARD
100**
22.0.02032
Hohenstein HTTI



Vlies-Rauhfaser Viva

Order number: 1000658
Roll dimensions: 15.0 x 0.53 m/7.95 m²
Carton content: 12
Boxes per pallet: 30
EAN no.: 4000599 019441



Vlies-Rauhfaser Elegance

Order number: 1000305
Roll dimensions: 15.0 x 0.53 m/7.95 m²
Carton content: 12
Boxes per pallet: 24
EAN no.: 4000599 888603



Vlies-Rauhfaser Romantic

Order number: 1000310
Roll dimensions: 15.0 x 0.53 m/7.95 m²
Carton content: 12
Boxes per pallet: 27
EAN no.: 4000599 888610



Vlies-Rauhfaser Classico

Order number: 1000316
Roll dimensions: 15.0 x 0.53 m/7.95 m²
Carton content: 12
Boxes per pallet: 18
EAN no.: 4000599 888627



Vlies-Rauhfaser Rustic

Order number:	1000303
Roll dimensions:	10.05 x 0.53 m/5.33 m ²
Carton content:	12
Boxes per pallet:	24
EAN no.:	4000599 888634

Page 57
Use with:
ERFURT Paste



The 'Original'

Vliesfaser Basic

LIGHTWEIGHT

120 g/m²

Slightly embossed nonwoven
wallpaper made of sustainable
raw materials

PVC-free 100 % nonwoven

Painting required

Scratch-resistant once painted





ERFURT-Vliesfaser Basic 120 g/m²

The ERFURT-Vliesfaser Basic range consists of lightly embossed nonwoven wallcoverings made from sustainable raw materials. The range of subtle yet sophisticated designs offers the perfect wallcovering to suit every interior style and taste. Once painted, the wallcoverings are scratch-resistant and durable.

The benefits at a glance:

- 100 % nonwoven wallpaper
- Painting required
- Scratch-resistant once painted
- Free of PVC and plasticisers
- Can be hung directly on the wall
- Can be re-painted several times
- Breathable

Page 57
Use with:
ERFURT Paste



Vliesfaser
Basic 100



**STANDARD
100**
17.0.06525
Hohenstein HTTI



Vliesfaser Basic 100

Order number:	1004302
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	57
EAN no.:	4000599 017249




Vliesfaser Basic 101

Order number:	1004303
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	57
EAN no.:	4000599 017287



Vliesfaser Basic 102



Order number:	1004304
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	57
EAN no.:	4000599 017300




Vliesfaser Basic 103

Order number:	1004305
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	57
EAN no.:	4000599 017348

Image 50% reduced



Order number: 1004306
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 017362




Order number: 1004307
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 017386




Order number: 1004362
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018611



Order number: 1004376
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018949



Order number:	1004377
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	57
EAN no.:	4000599 018963



Vliesfaser
Basic 104

The 'Original'

Vliesfaser Protect

CO₂
neutral

STRONG 150 g/m²

Heavily embossed nonwoven
wallpaper made of sustainable
raw materials

PVC-free 100 % nonwoven

Painting required

Ultra-scratch-resistant once painted



CO₂-neutral
by reducing
emissions in
production and
international
compensation
projects




ERFURT-Vliesfaser Protect 150 g/m²

The ERFURT-Vliesfaser Protect range stands out with its stable nonwoven wallpapers with many attractive and expressive textures. These ERFURT nonwoven wallcoverings are made of sustainable raw materials. CO₂-neutral by carbon compensation.

The benefits at a glance:

- 100 % nonwoven wallpaper
- Painting required
- Ultra-scratch-resistant once painted
- Free of PVC and plasticisers
- Can be hung directly on the wall
- Can be re-painted several times
- Breathable



erfurt.com/sustainability

Page 57
Use with:
ERFURT Paste



Vliesfaser
Protect 200





**STANDARD
100**
17.0.06525
Hohenstein HTTI



Vliesfaser Protect 200

Order number:	1004308
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	42
EAN no.:	4000599 017409



Vliesfaser Protect 201

Order number:	1004309
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	42
EAN no.:	4000599 017423



Vliesfaser Protect 202

Order number:	1004310
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	33
EAN no.:	4000599 017447



Vliesfaser Protect 203

Order number:	1004311
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	33
EAN no.:	4000599 017461

**Vliesfaser Protect 204**

Order number: 1004312
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 33
EAN no.: 4000599 017485

**Vliesfaser Protect 205**

Order number: 1004313
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 42
EAN no.: 4000599 017515

**Vliesfaser Protect 206**

Order number: 1004314
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 69
EAN no.: 4000599 017539

**Vliesfaser Protect 207**

Order number: 1004315
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 69
EAN no.: 4000599 017553



Order number: 1004316
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 42
 EAN no.: 4000599 017577



Order number: 1004317
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 42
 EAN no.: 4000599 017591

*Texture image 50% reduced



Order number: 1004318
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 42
 EAN no.: 4000599 017621



Order number: 1004319
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 33
 EAN no.: 4000599 017645

**Vliesfaser Protect 212**

Order number: 1004320
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 69
EAN no.: 4000599 017669

**Vliesfaser Protect 213**

Order number: 1004363
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 42
EAN no.: 4000599 018635

**Vliesfaser Protect 214**

Order number: 1004364
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 42
EAN no.: 4000599 018659

The 'Original'

Vliesfaser Ready



PRE-PAINTED

140 g/m²

**Embossed ready-to-use
wallcoverings made of
sustainable raw materials**

White printed nonwoven wallpaper

No painting required

Ultra-scratch-resistant without painting



**CO₂-neutral
by reducing
emissions in
production and
international
compensation
projects**






ERFURT-Vliesfaser Ready 140 g/m²

The ERFURT-Vliesfaser Ready product range of nonwoven wallpapers delight with their finely embossed textures. The wallcoverings in this product range are pre-painted, so no need to paint them after wallpapering. But, of course, you can still paint them to your taste in a colour of your choice. ERFURT-Vliesfaser Ready nonwoven wallcoverings are produced from sustainable raw materials. CO₂-neutral by carbon compensation.

The benefits at a glance:

- White printed nonwoven wallpaper
- No painting required
- Ultra-scratch-resistant without painting
- Free of PVC and plasticisers
- Can be hung directly on the wall
- Can be re-painted several times
- Breathable



erfurt.com/sustainability

Page 57
Use with:
ERFURT Paste



Vliesfaser
Ready 300



Vliesfaser Ready 300

Order number: 1004369
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 69
 EAN no.: 4000599 017683



Vliesfaser Ready 301

Order number: 1004370
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 69
 EAN no.: 4000599 017706



Vliesfaser Ready 302

Order number: 1004371
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 69
 EAN no.: 4000599 017720




Vliesfaser Ready 303

Order number: 1004372
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 69
 EAN no.: 4000599 017744

*Texture image 50 % reduced

**Vliesfaser Ready 304**

Order number: 1004373
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 69
EAN no.: 4000599 017768

**Vliesfaser Ready 305**

Order number: 1004374
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 69
EAN no.: 4000599 017782

The 'Original'


Strukturvlies Basic

LIGHTWEIGHT

**Printed nonwoven wallcovering
made of environmentally-friendly
nonwoven material**

Nonwoven made of 100 % recycled fibres
Water-based textured foam
Painting required
Smooth rear side for fast working






ERFURT-Strukturvlies Basic

The sustainable nonwoven wallcoverings, ERFURT-Strukturvlies Basic, consist of a nonwoven carrier material made exclusively from recycled fibres. The texture is achieved by applying a water-based textured foam. This makes ERFURT-Strukturvlies Basic wallcoverings veritably impressive, healthy products. Their smooth back means that they are also very easy to handle. We recommend applying a coat of paint to this range.

The benefits at a glance:

- 100 % recycled fibre nonwoven carrier material
- Water-based textured foam
- Painting required
- Smooth rear side for fast working
- Free of PVC and plasticisers
- Can be hung directly on the wall
- Can be re-painted several times
- Breathable



erfurt.com/sustainability

Page 57
Use with:
ERFURT Paste



Strukturvlies
Basic 400





Strukturvlies Basic 400

Order number: 1004351
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018345



Strukturvlies Basic 401

Order number: 1004352
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018352



Strukturvlies Basic 402

Order number: 1004353
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018369




Strukturvlies Basic 403

Order number: 1004354
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018376

*Texture image 50 % reduced



Order number: 1004355
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018383




Order number: 1004356
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018390



Order number: 1004357
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018406



Order number: 1004358
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018413



Order number:	1004359
Roll dimensions:	10.05 x 0.53 m/5.32 m ²
Carton content:	6
Boxes per pallet:	57
EAN no.:	4000599 018420

*Texture image 50 % reduced



Strukturvlies
Basic 405

The 'Original'

Strukturvlies Premium

STRONG

**Ready-to-use white wallcovering with
a very hard-wearing surface finish**

White printed nonwoven wallpaper
Nonwoven made of 100 % recycled fibres
No painting required
Ultra-scratch-resistant without painting
Smooth rear side for fast working





ERFURT-Strukturvlies Premium

The range of sustainable ERFURT-Strukturvlies Premium wallpapers includes bold textures achieved by the application of a water-based textured foam. Their smooth rear makes ERFURT-Strukturvlies wallcoverings easy to apply. ERFURT-Strukturvlies Premium is pre-painted, and so can be repainted whenever you wish to redecorate.

The benefits at a glance:

- White printed nonwoven wallpaper
- No painting required
- Ultra-scratch-resistant without painting
- Smooth rear side for fast working
- Free of PVC and plasticisers
- Can be hung directly on the wall
- Can be re-painted several times
- Breathable

Page 57
Use with:
ERFURT Paste



Strukturvlies
Premium 500





Strukturlies Premium 500

Order number: 1004389
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 017973

*Texture image 50 % reduced



Strukturlies Premium 501

Order number: 1004390
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 017997

*Texture image 50 % reduced



Strukturlies Premium 502

Order number: 1004391
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018017


*Texture image 80 % reduced



Strukturlies Premium 503

Order number: 1004392
 Roll dimensions: 10.05 x 0.53 m/5.32 m²
 Carton content: 6
 Boxes per pallet: 57
 EAN no.: 4000599 018031

*Texture image 50 % reduced

**Strukturvlies Premium 504**

Order number: 1004393
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 57
EAN no.: 4000599 018055

*Texture image 80 % reduced

**Strukturvlies Premium 505**

Order number: 1004394
Roll dimensions: 10.05 x 0.53 m/5.32 m²
Carton content: 6
Boxes per pallet: 57
EAN no.: 4000599 018079

*Texture image 80 % reduced

The 'Original'

ERFURT- Variovlies

Lends a sophisticated look to walls

Permanently smooth walls

Easy to apply

Fine textures to combat the effects of
grazing light





ERFURT-Variovlies lends a sophisticated look to walls

The trend towards smooth walls

The trend in recent years has been to plaster and perhaps paint the walls of new buildings, refurbishments and renovations. No wallcovering was applied: the walls were left "bare"!

Persuasive product benefits

The use of flat nonwoven wallcoverings from the new ERFURT-Variovlies product range offers a perfect alternative to "bare" walls. Regardless of whether they are used as a perfect base surface for paint, as a wallcovering to cover cracks, for long-lasting smooth walls or as a finely textured surface for enhanced comfort in your own home. Variovlies improves the indoor climate and creates a look that is as smooth as a plastered wall. What is more, these breathable and moisture-regulating natural products are healthy wallcoverings, free of PVC and other substances that could be harmful to health.

Page 57
Use with:
ERFURT Paste



The benefits at a glance:

- Healthy and breathable
- Dimensionally stable and no soaking time
- Covers cracks (Crack class A)
- Can be re-painted several times
- Fewer seams, thanks to convenient width of 75 cm

The right solution for your smooth walls every time

Simple – fast – guaranteed success


ERFURT flat nonwoven wallcoverings could not be easier to use. The high-grade and tear-resistant flat nonwoven wallcoverings can be applied to all base surfaces suitable for wallpapering. Simply and efficiently apply them using the paste-the-wall technique.

Covers cracks – for lasting smooth walls without hair and spreading cracks

Walls and plaster expand and shrink. Especially in new buildings or with freshly applied surfaces. Stresses and cracks are the result. Do you want to avoid unattractive effects on the wall? You can now enjoy long-lasting smooth walls without visible cracks with the crack-covering qualities of Variovlies.

Easy to remove

Have you ever wondered how you could remove different paint coverings or textured plaster? It couldn't be simpler if paint or textured plaster is applied to ERFURT flat nonwoven wallcoverings and then simply removed in a single step together with the VARIOVLIES when you come to redecorate or renovate.



Wall with cracks



e.g. Variovlies Flat



Paint




**STANDARD
100**

17.0.06525
Hohenstein HTTI



**STANDARD
100**


22.0.02032
Hohenstein HTTI



Variovlies Plano

Order number:	1003704
Roll dimensions:	20.0 x 0.75 m/15.00 m ²
Carton content:	4
Cartons per pallet:	40
EAN no.:	4000599 439690


Order number:	1003839
Roll dimensions:	20.0 x 0.53 m/10.60 m ²
Carton content:	6
Boxes per pallet:	33
EAN no.:	4000599 014774



Variovlies Eco Green

Order number:	1003702
Roll dimensions:	20.0 x 0.75 m/15.00 m ²
Carton content:	4
Cartons per pallet:	30
EAN no.:	4000599 439652

Order number:	1003903
Roll dimensions:	20.0 x 0.53 m/10.60 m ²
Carton content:	6
Boxes per pallet:	33
EAN no.:	4000599 016471



Variovlies Flat Classic

Order number:	1003705
Roll dimensions:	25.0 x 0.75 m/18.75 m ²
Carton content:	4
Cartons per pallet:	30
EAN no.:	4000599 439034

Order number:	1003840
Roll dimensions:	25.0 x 0.53 m/13.25 m ²
Carton content:	6
Boxes per pallet:	33
EAN no.:	4000599 014781




Variovlies Flat Premium

Order number:	1003706
Roll dimensions:	25.0 x 0.75 m/18.75 m ²
Carton content:	4
Cartons per pallet:	30
EAN no.:	4000599 439010



Order number: 1003701
Roll dimensions: 25.0 x 0.75 m/18.75 m²
Carton content: 4
Boxes per pallet: 24
EAN no.: 4000599 439638

*Texture image 50 % reduced



Order number: 1003703
Roll dimensions: 25.0 x 0.75 m/18.75 m²
Carton content: 4
Boxes per pallet: 24
EAN no.: 4000599 439676



ERFURT-Variovlies wallcoverings compared

			Covers base surfaces well	Optimum base for paint	Uses minimal paint	Durable once painted
 <p><i>The Natural One.</i> 20 x 0.75 m 20 x 0.53 m</p> <p>Variovlies ECO GREEN SUSTAINABLE 150 g</p>	<p>Ecological flat nonwoven made of 100 % sustainable and recycled fibres</p> <p>CO₂ -neutral Professional quality Environmentally-friendly, high-quality flat nonwoven</p>		★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
 <p><i>The Classic One.</i> 25 x 0.75 m 25 x 0.53 m</p> <p>Variovlies FLAT CLASSIC 150 g</p>	<p>Cellulose flat nonwoven made of high-quality cellulose and reinforced with textile fibres</p> <p>Best seller All-purpose Easy to use</p>		★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★
 <p><i>The Strong One.</i> 25 x 0.75 m</p> <p>Variovlies FLAT PREMIUM 170 g</p>	<p>Cellulose flat nonwoven made of high-quality cellulose and reinforced with textile fibres</p> <p>Excellent surface weight – extremely stable Premium, professional quality flat nonwoven Excellent coverage of the base surface</p>		★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
 <p><i>The Fine One.</i> 25 x 0.75 m</p> <p>Variovlies SAND FINE 150 g</p>	<p>Cellulose nonwoven with a finely textured surface</p> <p>Easy to apply • Fine texture – suitable for any style</p>		★ ★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★ ★
 <p><i>The Elegant One.</i> 25 x 0.75 m</p> <p>Variovlies SISAL ELEGANT 150 g</p>	<p>Cellulose nonwoven with a finely textured surface</p> <p>Simple to use fine texture – suitable for any style</p>		★ ★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★ ★
 <p><i>The All-rounder.</i> 20 x 0.75 m 20 x 0.53 m</p> <p>Variovlies PLANO SUPERWHITE 150 g</p>	<p>Sustainable flat nonwoven made of recycled paper and reinforced with textile fibres</p> <p>Super white Extra opaque Healthy for living</p>		★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★	★ ★ ★ ★ ★



ERFURT-lining paper

The ideal base wallpaper for all your decorative wallcoverings: create ideal absorbent base surfaces with ERFURT-lining paper and improve the adhesion of your paste.

- Creates evenly coloured and absorbent base surfaces
- Compensates for drying tension in the seam areas of wallcoverings
- Breathable



Makulatur 88 PRO lining paper

Order number:	1000289
Roll dimensions:	33.5 x 0.53 m/17.7 m ²
Carton content:	12
Boxes per pallet:	27
EAN no.:	4000599 000883

Makulatur 95 PRO lining paper

Order number:	1000292
Roll dimensions:	17 x 0.53 m/9.0 m ²
Carton content:	20
Boxes per pallet:	24
EAN no.:	4000599 000951

Page 57
Use with:
ERFURT Paste



ERFURT- KlimaTec

Energy-saving

Fast heating up of cold rooms
Reflects and retains the warmth from the heating system
Quickly and efficiently creates comfortable warmth

Practical

Durable, flexible wallcovering
Covers cracks
Perfect base surface for wallpaper

Preventative

Prevents mould by raising the surface temperature of the wall
Breathable





KlimaTec – Feel good and save energy

Interior walls and ceilings to which ERFURT-KlimaTec has been applied, radiate thermal energy back into the room. The maximum heat is thus available to heat up the room air.

Rooms heat up noticeably faster and with lower energy consumption. The warm air is permanently retained within the room, as the thermal nonwoven acts as a dividing layer, separating the room from the cold walls.

The surface temperature of walls covered with KlimaTec increases by an average of 2 °C. The temperature in the room can therefore be lowered by at least 2 °C, without changing the comfort level in the space.

The benefits at a glance:

- Ensures that rooms heat up quickly
- Significantly reduces heating costs
- Breathable and moisture-regulating
- Prevents mould
- Covers cracks

Save with the ERFURT-KlimaTec product range!



1 tub of ERFURT-KlimaTec System Adhesive is sufficient for:
2 rolls of ERFURT-KlimaTec Thermovlies Premium thermal nonwoven or
3 rolls of ERFURT-KlimaTec Thermovlies Basic thermal nonwoven

Thermovlies Basic (1 mm)

This entry-level product is ideal for thermally neutral interior walls separating different rooms.

Thermovlies Premium (3 mm)

The Premium product stands out on account of its particularly effective use of thermal energy on walls and ceilings.



Thermovlies Basic thermal nonwoven

up to **18 %**

up to **40 %**

up to **65 %**

Saves heating energy

Less thermal storage energy

Less thermal storage energy

Thermovlies Premium thermal nonwoven

up to **22 %**

up to **50 %**

up to **75 %**



Order number:	1000638
Roll dimensions:	10.0 x 0.75 m/7.50 m ²
Carton content:	1
Boxes per pallet:	48
EAN no.:	4000599 606009

KlimaTec Thermovlies Premium



Order number:	1002130
Roll dimensions:	10.0 x 0.75 m/7.50 m ²
Carton content:	2
Cartons per pallet:	48
EAN no.:	4000599 039258

KlimaTec Thermovlies Basic



Order number:	1001202
Contents in kg:	10
Bucket/pallet:	64
EAN no.:	4000599 606016

KlimaTec System Adhesive



Wallpaper and save energy


Applying ERFURT-KlimaTec Thermovlies thermal nonwoven to every wall surface creates an energy-saving base surface for pasting and wallpaper in a few easy steps.

We recommend applying ERFURT-KlimaTec Thermovlies Premium thermal nonwoven to every solid wall in a room and ERFURT-KlimaTec Basic to interior walls separating different rooms to achieve maximum energy savings.

ERFURT-KlimaTec Thermovlies thermal nonwoven wallcoverings can be applied to all solid smooth or textured base surfaces.

KlimaTec works best of all if you adhere to the 4 + 1 principle, that is to say applying KlimaTec Thermovlies thermal nonwoven to all solid walls and the ceiling.

Heat loss in
a detached home



Energy-saving

- Extremely fast heating up of cold rooms
- Reflects and retains the warmth from the heating system
- Quickly and efficiently creates comfortable warmth

Preventative

- Prevents mould by raising the surface temperature of the wall
- Breathable

Practical

- Durable, flexible wallcovering
- Covers cracks
- Perfect base surface for wallpaper

ERFURT- KlimaTec- RapidBoard



**The lightweight construction system
for a cosy and comfortable home**

- Easy to use
- Versatile
- Quick, simple and flexible to apply
- Healthy, environmentally-friendly, and comfortable



KlimaTec Rapid-Board is simple to fit – efficient to use

This ultra-lightweight board can be used indoors and outdoors, absorbs temperature-related structural movements, and is safe and easy to use. The integrated fibreglass webbing makes this unique environmentally-friendly and healthy construction board a veritable hard-wearing all-rounder.

The all-rounder: KlimaTec-RapidBoard

A lightweight construction board and complementary products for a wide range of applications.

Indoors

Use as dry walling, ceiling cladding, or for roof extensions ...

Wet rooms


Bathroom renovations, pre-walls concealing bathroom appliances, pre-walls on cool outside walls, basement walls

Outdoors

Car ports, sun rooms, sun houses, roof soffits, outdoor kitchens ...

We recommend a system-based approach:

- Use KlimaTec-RapidBoard System Adhesive RB 10 and apply to the entire surface of KlimaTec-RapidBoard for use on walls.
- Then use KlimaTec RapidBoard silicate filler to fill in the gaps. It provides the ideal base surface for subsequent wallpapering and painting work.
- And finally apply ERFURT's beautiful paintable and breathable wallcoverings to give your room a final touch.



*information on the level of emissions of volatile substances into indoor air associated with a risk of toxicity through inhalation, on a scale from A+ (very low emissions) to C (high emissions)

The comfort board

96 % of the KlimaTec-RapidBoard lightweight board is made of recycled waste glass (expanded glass granulate). It is very low-emission and breathable. It helps to generate a pleasant room climate, saving up to 11% heating energy by raising the wall surface temperature. At the same time, this helps to prevent mould.

Benefits at a glance:

- Lightweight
- Easy to use
- Versatile
- Prevents mould
- Increases the surface temperature
- Regulates air humidity
- Saves heating energy
- Particularly low-emission



Good protection against mould formation

Condensation is formed when high levels of air humidity encounter cold walls. This moisture quickly leads to mould formation.

ERFURT-KlimaTec RapidBoard combats mould in three ways:

- The surface temperature of the wall or ceiling is raised due to the low thermal conductivity of the material.
- The ERFURT system is breathable and can buffer water vapour, thereby regulating air humidity.
- ERFURT's RapidBoard, System Adhesive RB 10 and Silicate Filler are mineral-based and alkaline, and so do not form a breeding ground for mould.



KlimaTec-RapidBoard System Adhesive RB 10

For perfect adhesion of the KlimaTec RapidBoard

ERFURT-KlimaTec-RapidBoard System Adhesive is a mineral-based adhesive for the secure, full-surface adhesion of KlimaTec-RapidBoards.

Benefits at a glance:

- Easy to apply
- Excellent initial adhesion
- Good stability under load
- Breathable
- Capillary-active
- Reduced dust
- Prevents mould



More product information on our website:



Highly productive ✓

Very easy to adhere and fill ✓

Excellent sorption and moisture buffering properties ✓





KlimaTec-RapidBoard Silicate Filler

For a perfectly smooth wall surface

Using the ready-to-use mineral-based emulsion filler to perfectly prepare KlimaTec-RapidBoard lightweight construction boards for smooth finishing with fine plaster, paint or wallpaper.

Benefits at a glance:

- Simple smoothing of base surfaces (Surface quality Q3/Q4)
- For breathable wall structures
- Prevents mould
- Apply with a palette knife, roller or powerful airless spray gun



For indoor use only



More product information on our website:



Free of preservatives ✓

Free of plasticisers ✓

Free of solvents ✓



The ERFURT KlimaTec-RapidBoard system

The lightweight construction system for every application

More product information on our website:



Product	Item no.:	EAN	Dimensions / Contents:
ERFURT-KlimaTec-RapidBoard 10	1004273	4000599 016822	1,200 x 800 x 10 mm
ERFURT-KlimaTec-RapidBoard 10	1004278	4000599 016846	2,400 x 1,200 x 10 mm
ERFURT-KlimaTec-RapidBoard Silicate Filler	1004489	4000599 016853	10 l
ERFURT-KlimaTec-RapidBoard System Adhesive RB 10	1004490	4000599 020430	15 kg



ERFURT Accessories

Applying and repairing wallcoverings

- The right paste for woodchip, nonwoven woodchip and nonwoven wallpapers
- Woodchip Filler for minor repairs
- Seam Adhesive for touching up



ERFURT-Paste – handy for wallpapering

You've made the decision – the room is to be redecorated. You've already chosen your ERFURT wallcovering. Now you need to apply it to the wall. Not a problem with the right paste. ERFURT-pastes are designed specifically for the traditional method of hanging woodchip with a soaking time. They can also be used to hang nonwoven woodchip using the paste-the-wall technique, and efficiently hang nonwoven wallpapers – both flat and textured.

ERFURT-Paste – the right choice every time.

ERFURT-Repair Filler

...when there's a small blemish on the woodchip. ERFURT-Rauhfaser Filler rectifies it in an instant. It is designed for all textures to conceal drill holes, scratches and damage – use directly from the tube onto the wall.

ERFURT-Seam Adhesive

ERFURT-Seam Adhesive is perfect whenever the paste doesn't quite reach the wall when you're wallpapering. Or if the joins slightly lift up after painting.

Simply insert the nozzle under the loosened wallcovering or use a small brush or cotton bud to apply to small areas. Leave to absorb briefly, press down – and you're done.



Order number:	1004263
Tray contents;	24 no.
EAN no.:	4000599 019212
EAN Tray no.:	4000599 019229
Suitable for all nonwoven wallpapers!	

Nonwoven Wallpaper Paste
Pack contains 200 g



Order number: 1003496
 Tray contents; 24 no.
 EAN no.: 4000599 011681
 EAN Tray no.: 4000599 011698

Suitable for all types of paper wallcoverings!

Rauhfaser woodchip paste
 Pack contains 200 g



Order number: 1003497
 Tray contents; 24 no.
 EAN no.: 4000599 011742
 EAN Tray no.: 4000599 011759

Suitable for all nonwoven wallpapers!

Vlies-Rauhfaser Paste
 Pack contains 200 g



Order number: 1003902
 Tray contents; 12 pieces
 EAN no.: 4000599 016396
 EAN Tray no.: 4000599 016464

Suitable for all woodchip and nonwoven woodchip wallcoverings!

Woodchip filler
 Pack contains 330 g



Order number: 1004332
 Tray contents; 12 pieces
 EAN no.: 4000599 017911
 EAN Tray no.: 4000599 017928

Suitable for all wallcoverings!

Seam Adhesive
 Pack contains 60 g



ERFURT-PoS Displays

We offer a wide range of different display options, which can be combined to suit individual requirements, for optimum display of our products at the point of sale.

Examples:

1. The traditional row of pallets

It is generally used for fast-moving products, such as woodchip and nonwoven woodchip. It can be individually scaled up on the basis of Euro pallet dimensions, according to the size of your store. Product information conveyed on top panels and product-specific display boxes make the traditional row of pallets a total concept at any PoS.

Sell more with attractive product displays



2. Shop systems

Products are placed, generally horizontally, into compartments in different decorating stores. Painted sample panels with corresponding textures are attached to the front of each compartment. The shop systems are ideal for high-quality woodchip and nonwoven woodchip wallcoverings and also for high-quality wallpaper.



3. Customised solutions

Apart from the standard modules that ERFURT offers, it also supplies customised solutions developed in close consultation with the customer.





4. Promotional displays

An attractive PoS does not need to be permanent. Targeted campaigns with attractive PoS communication and individually designed boxes and labels attract attention and reach out to customers in your store.

Sell more with attractive product displays



Get in touch with us – we'd be happy to advise you.

DIY Sales Team

ERFURT & SOHN KG


Hugo-Erfurt-Str. 1
42399 Wuppertal, Germany

Your contacts

Mark Wasserfuhr
Head of Business Development DIY International
+ 49 202 6110 260
m.wasserfuhr@erfurt.com

Christine Books
Key Account Manager
+ 49 202 6110 392
c.books@erfurt.com

Steffen Renfordt
Key Account Manager
+ 49 202 6110 464
s.renfordt@erfurt.com



ERFURT[®]
WÄNDE ZUM WOHLFÜHLEN

ERFURT & SOHN KG
Hugo-Erfurt-Str. 1
42399 Wuppertal
GERMANY
info@erfurt.com

www.erfurt.com