

**LE-ES006****1. Clear identification code for product type:**

ERFURT-System Adhesive SR 6

**2. Intended use:**

Cement-based mortar for bonding plates indoors

**3. Manufacturer:**Erfurt & Sohn KG  
Hugo-Erfurt-Straße 1  
42399 Wuppertal, GermanyPhone: +49 (202) 6110-0  
Fax: +49 (202) 6110-495  
E-mail: info@erfurt.com  
Website: www.erfurt.com**4. Authorised representative:**

Not relevant.

**5. System or systems of assessment and verification of the constancy of performance of the construction product, as set out in Annex V:**System 3  
System 3 for fire behaviour**6. Harmonised standard:**

The notified Northrhine-Westphalia Materials Testing Office, Identification no. 0432, performed the type test and issued the following: **Test report 220003005-04**

The notified Northrhine-Westphalia Materials Testing Office, Identification no. 0432, determined the fire behaviour class based on a product test in accordance with System 3 and issued the following: **Test report 230007680-3**

**7. Declared performance:**

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1 / A1 <sub>n</sub>	EN 13501-1
Bond strength, as - Adhesive tensile strength after dry storage	≥ 1.0 N/mm <sup>2</sup>	
Durability as - Adhesive tensile strength after water storage - Adhesive tensile strength after warm storage - Adhesive tensile strength after freeze-thaw storage	≥ 1.0 N/mm <sup>2</sup> ≥ 1.0 N/mm <sup>2</sup> ≥ 1.0 N/mm <sup>2</sup>	EN 12004:2007+A1:2012
Release of hazardous substances	NPD	

**LE-ES006****8. Appropriate technical documentation and/or specific technical documentation**

MPA NRW, 0432, report no. 220003005-04, 20.10.2003

MPA NRW, 0432, report no. 230007680-3, 22.01.2013

The performance of the above products corresponds to the declared performance. The aforementioned manufacturer alone is responsible for preparation of the Declaration of Performance in accordance with Regulation (EU) No. 305/2011.

Signed for the manufacturer and on behalf of the manufacturer by:

M. Hisge / Dr. C. Bockelmann

(Names)

Wuppertal, 01.04.2020

(Place and date of issue)

(Signatures)

