

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.04.2021

Version number 16

Revision: 06.04.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: Erfurt Systemkleber SR6**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** cement-based fine mortar
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Erfurt & Sohn KG  
Wände zum Wohlfühlen  
Hugo-Erfurt-Straße 1  
42399 Wuppertal  
  
www.erfurt.com
- **Informing department:**  
Ansprechpartner Herr Alfred Weißenbach  
Telefon : +49 (202) 6110 - 242  
Telefax : +49 (202) 6110 - 89242  
Mobil : +49 (173) 2588270  
E-Mail : a.weissenbach@erfurt.com
- **1.4 Emergency telephone number:**  
Poison centre Bonn (Germany): +49 (228) 19240 (24h available)

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Cement, portland, chemicals  
calcium dihydroxide
- **Hazard statements**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

GB

**Trade name: Erfurt Systemkleber SR6**

(Contd. of page 1)

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P362 Take off contaminated clothing.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
  - **Description:** Product based on cement and mineral filler.
  - **Dangerous components:**
- |                   |  |         |
|-------------------|--|---------|
| CAS: 65997-15-1   | Cement, portland, chemicals                                | 50-100% |
| EINECS: 266-043-4 | ☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315; STOT SE 3, H335 |         |
| CAS: 1305-62-0    | calcium dihydroxide  | <2.5%   |
| EINECS: 215-137-3 | ☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315; STOT SE 3, H335 |         |
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Personal protection for the First Aider.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** After contact, clean the skin mechanical and rinse with water and soap.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing**  
Drink copious amounts of water and provide fresh air. Instantly call for doctor.  
Show the pack or the label to the doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Follow the emergency-plan.

GB

(Contd. on page 3)

Trade name: **Erfurt Systemkleber SR6**

(Contd. of page 2)

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Bring persons out of danger.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**  
Pick up the product mechanically, avoid dust formation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Thorough dedusting.  
Prevent formation of dust.  
Keep away from children.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**  
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in a locked cabinet and out of the reach of children.
- **Storage class 13**
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:** \_\_\_\_\_
- 65997-15-1 Cement, portland, chemicals (50-100%)**  
WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>  
\*inhalable dust \*\*respirable dust
- 1305-62-0 calcium dihydroxide (<2.5%)**  
WEL Short-term value: 4\* mg/m<sup>3</sup>  
Long-term value: 5 1\* mg/m<sup>3</sup>  
\*resprable fraction
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls**  
It must be possible to wash the skin in the working area.  
Eye-wash bottle must be available.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to in handling the chemicals.  
Vacuum clean contaminated clothing. Do not blow or brush off contamination.  
Avoid contact with the eyes and skin.  
Be sure to clean skin thoroughly after work and before breaks.
- **Breathing equipment:** Use breathing protection in case of insufficient ventilation.
- **Hand protection** Hand Protection: Nitril-rubber-latex-gloves.

(Contd. on page 4)

**Trade name: Erfurt Systemkleber SR6**

(Contd. of page 3)

· **Material of gloves**

Nitril-rubber-latex-gloves II R: Thickness  $\geq 0,5\text{mm}$ ; Break through time  $\geq 480$  min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Not required.

· **Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Solid material.

· **Colour:**

Grey

· **Smell:**

Weak, characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

not apply

· **Flammability**

Not determined.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable

· **Self-inflammability:**

Product is not selfigniting.

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

11.6 (1%)

· **Viscosity:**

· **Kinematic viscosity**

Not applicable.

· **dynamic:**

Not applicable.

· **Solubility**

· **Water:**

miscible

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Steam pressure:**

Not applicable.

· **Density and/or relative density**

· **Density**

bulk density

· **Relative density**

Not determined.

· **Settled apparent density**

0.8 kg/dm<sup>3</sup>

· **Vapour density**

Not applicable.

· **9.2 Other information**

· **Appearance:**

· **Form:**

Powder

· **Important information on protection of health and environment, and on safety.**

· **Explosive properties:**

Product is not explosive.

· **Change in condition**

· **Evaporation rate**

Not applicable.

· **Information with regard to physical hazard classes**

· **Explosives**

Void

· **Flammable gases**

Void

(Contd. on page 5)

Trade name: **Erfurt Systemkleber SR6**

(Contd. of page 4)

· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
- **LD/LC50 values that are relevant for classification:**
- 1305-62-0 calcium dihydroxide**
- Oral LD50 7,340 mg/kg (rats)
- 544-17-2 Calciumformiat**
- Oral LD50 3,050 mg/kg (rats) (OECD 401)
- Dermal LD50 >2,000 mg/kg (rats) (OECD 402)
- 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**
- Oral LD50 >5,000 mg/kg (rats)
- Dermal LD50 >5,000 mg/kg (Kan)
- Inhalative LC50/4 h >5 mg/l (rats)
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **STOT-single exposure** May cause respiratory irritation.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
- None of the ingredients is listed.

GB

(Contd. on page 6)

Trade name: **Erfurt Systemkleber SR6**

(Contd. of page 5)

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

#### 544-17-2 Calciumformiat

LC 0 >1,000 mg/l /48h (Brachydanio rerio)

EC50 (48h) >1,000 mg/l (Daphnia magna) (EPA-660/3-75-009)

EC50 >1,000 mg/l /72h (Pseudokirchneriella subcapitata) (ASTM E-47.01)

NOEC ≥100 mg/l /21d (Daphnia magna) (OECD 211)

≥22.1 mg/l /29d (bacterial toxicity) (OECD 306)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

#### Additional ecological information:

#### General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values.

A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

### 14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

### 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

### 14.4 Packing group

ADR, IMDG, IATA Void

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.04.2021

Version number 16

Revision: 06.04.2021

Trade name: **Erfurt Systemkleber SR6**

(Contd. of page 6)

- |   |                 |
|---|-----------------|
| · <b>14.5 Environmental hazards:</b>                                  |                 |
| · <b>Marine pollutant:</b>  | No              |
| · <b>14.6 Special precautions for user</b>                            | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                       | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Hr. A. Weißenbach
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**

GB