

Safety Data Sheet dated 04/09/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier

Mixture identification: Trade name:

VLIES-RAUHFASER KLEISTER

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Powder adhesive for non-woven fabric wallpaper and vinyl wall coverings with non-woven support. Uses advised against:

Do not place on damp walls, molds or unevenly prepared surfaces.

Do not use adhesive on non-absorbent substrates

1.3. Details of the supplier of the safety data sheet

Company: ERFURT &

 ERFURT & SOHN KG

 Hugo-Erfurt-Straβe 1

 42399
 Wuppertal

 Tel.:
 +49 202 6110 242

 Fax-Nr.:
 +49 202 6110 89242

Competent person responsible for the safety data sheet:

Stephan Schmieder

s.schmieder@erfurt.com

Tel: +49 202 6110 420

1.4. Emergency telephone number

Ph. +49 228 19240 (24h erreichbar)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms: None Hazard statements: None Precautionary statements: None **Special Provisions:** EUH210 Safety data sheet available on request. Contains 2,4,7,9-tetrametildec-5-in-4,7-diolo: May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards: No other hazards



SECTION 3: Composition/information on ingredients

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 0.1% - < 0.25%	2,4,7,9-tetrametildec-5- in-4,7-diolo	CAS: EC:	126-86-3 204-809-1	 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

- In case of skin contact:
 - Wash with plenty of water and soap.
- In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions

VLIES-RAUHFASER KLEISTER

Page n. 2 of 9



Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
- Avoid contact with skin and eyes, inhalation of vapours and mists.
 See also section 8 for recommended protective equipment.
 Advice on general occupational hygiene:
 Do not eat or drink while working.
 7.2. Conditions for safe storage, including any incompatibilities
- 7.2. Conditions for safe storage, including any incompatibilities
 Store the product in a dry and cool place.
 The product does not fear the frost.
 The product is guaranteed for 60 months from the date of production.
 Keep away from food, drink and feed.
 Incompatible materials:
 None in particular.
 Instructions as regards storage premises:
 Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - No occupational exposure limit available
- **DNEL Exposure Limit Values**
 - 2,4,7,9-tetrametildec-5-in-4,7-diolo CAS: 126-86-3

Consumer: 0.75 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects - Notes: Tossicità a dose ripetuta

Worker Industry: 0.5 mg/kg - Worker Professional: 0.5 mg/kg - Consumer: 0.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: Tossicità a dose ripetuta

Worker Industry: 1.76 mg/m3 - Worker Professional: 1.76 mg/m3 - Consumer: 0.43 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: Tossicità a dose ripetuta

Worker Industry: 5.28 mg/m3 - Worker Professional: 5.28 mg/m3 - Consumer: 1.29 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects - Notes: Tossicità a dose ripetuta

Consumer: 0.75 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects - Notes: Tossicità a dose ripetuta

Consumer: 0.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: Tossicità a dose ripetuta

Exposure: Eyes - Frequency: Local effect - Notes: Pericolo medio (nessuna soglia derivata)

PNEC Exposure Limit Values

2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3

Target: Freshwater sediments - Value: 0.32 mg/kg

Target: Soil (agricultural) - Value: 0.028 mg/kg

- Target: Occasional Release Value: 0.4 mg/l Target: Sewage treatment plant - Value: 7 mg/l Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Marine water sediments - Value: 0.032 mg/kg 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None
- Appropriate engineering controls:
 - None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Solid		
Colour:	White		
Odour:	Characteristic.		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
pH:	9,5		4% in water solution
Kinematic viscosity:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		
	N.A.		
Vapour pressure: Density and/or relative	N.A.		
density:	м. л .		
Relative vapour density:	N.A.		
	Particle cha	racteristics:	
Particle size:	N.A.		

9.2. Other information





No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: VLIES-RAUHFASER KLEISTER a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eye damage/irritation Not classified Based on available data, the classification criteria are not met d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Adverse health effects None in particular. Keep out of the reach of children and pets. **VLIES-RAUHFASER KLEISTER**

Page n. 5 of 9



Toxicological information of the main substances found in the product:
2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3
a) acute toxicity:
Test: LD50 - Route: INGESTION - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat > 20 mg/l - Duration: 1h
b) skin corrosion/irritation:
Test: OECD - Route: Skin - Species: Rabbit - Duration: 4h - Source: Non irritante
rest. OECD - Roule. Skin - Species. Rabbit - Duration. 41 - Source. Non initiante
11.2. Information on other hazards
Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%
No endocrine disruptor substances present in concentration >= 0.1%
SECTION 12: Ecological information
SECTION 12: Ecological information
12.1. Toxicity
Adopt good working practices, so that the product is not released into the environment. VLIES-RAUHFASER KLEISTER
Not classified for environmental hazards
Based on available data, the classification criteria are not met
2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3
c) Bacteria toxicity:
Endpoint: EC50 - Species: Active sludge 2 630 mg/l - Duration h: 3
e) Plant toxicity:
Endpoint: EC50 - Species: Algae 2 15 mg/l - Duration h: 72 - Notes: Alghe cloroficee
g) Toxicity in water:
Endpoint: LC50 - Species: Fish - Pimephales promelas 2 36 mg/l - Duration h: 96 -
Notes: Cavedano americano
Endpoint: LC50 - Species: Fish 2 42 mg/l - Duration h: 96 - Notes: Cyprinus carpio
(Carpa)
Endpoint: EC50 - Species: Daphnia 2 88 mg/l - Duration h: 48 - Notes: Daphnia magna
- pulce d'acqua grande
12.2. Persistence and degradability
N.A.
12.3. Bioaccumulative potential
N.A.
12.4. Mobility in soil
N.A.
12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration >= 0.1%
12.7. Other adverse effects
None
SECTION 13: Disposal considerations
13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in
force.
Additional disposal information:
Dispose of the product / container in an authorized waste disposal facility.
SECTION 14: Transport information

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

VLIES-RAUHFASER KLEISTER



- 14.2. UN proper shipping name N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A.
- 14.5. Environmental hazards N.A.
- 14.6. Special precautions for user N.A.
- 14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 40** Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None Water hazard class : WGK 1 slightly hazardous to water according to AwSV classification, Annex 1 (5.2)



SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
0110.	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.

VLIES-RAUHFASER KLEISTER

Page n. 8 of 9



STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.