

Safety Data Sheet dated 31/08/2021, version 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: **ERFURT Vlies-Rauhfaser Kleister**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Powder adhesive for non-woven fabric wallpaper and vinyl wall coverings with non-woven support.

Uses advised against:

Do not place on damp walls, molds or unevenly prepared surfaces.

Do not use adhesive on non-absorbent substrates.

### 1.3. Details of the supplier of the safety data sheet

ERFURT & SOHN KG

Hugo-Erfurt-Straße 1

42399 Wuppertal

Tel.: +49 202 6110 242

Fax-Nr.: +49 202 6110 89242

E-Mail: Zuständig für das Sicherheitsdatenblatt : a.weissenbach@erfurt.com

### 1.4. Emergency telephone number

Notfallauskunft : Giftnotrufzentrale Bonn +49 228 19240 (24h erreichbar)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Contains 2,4,7,9-tetrametildec-5-in-4,7-diolo: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards: No other hazards


## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures


Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 0.1%	2,4,7,9-tetrametildec-5-	CAS: 126-86-3	 3.3/1 Eye Dam. 1 H318

# Safety Data Sheet

## ERFURT Vlies-Rauhfaser Kleister



- < 0.25%	in-4,7-diolo	EC: 204-809-1	 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412
--------------	--------------	---------------	--

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. CALL THE DOCTOR IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: None

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

**7.2. Conditions for safe storage, including any incompatibilities**

Store the product in a dry and cool place.

The product does not fear the frost.

The product is guaranteed for 60 months from the date of production.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

None in particular

---

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

No occupational exposure limit available

**DNEL Exposure Limit Values**

2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3

Consumer: 0.75 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects - Notes: Tossicità a dose ripetuta

Worker Industry: 0.5 mg/kg - Worker Professional: 0.5 mg/kg - Consumer: 0.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: Tossicità a dose ripetuta

Worker Industry: 1.76 mg/m<sup>3</sup> - Worker Professional: 1.76 mg/m<sup>3</sup> - Consumer: 0.43 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: Tossicità a dose ripetuta

Worker Industry: 5.28 mg/m<sup>3</sup> - Worker Professional: 5.28 mg/m<sup>3</sup> - Consumer: 1.29 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects - Notes: Tossicità a dose ripetuta

Consumer: 0.75 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects - Notes: Tossicità a dose ripetuta

Consumer: 0.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: Tossicità a dose ripetuta

Exposure: Eyes - Frequency: Local effect - Notes: Pericolo medio (nessuna soglia derivata)

**PNEC Exposure Limit Values**

2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3

Target: Freshwater sediments - Value: 0.32 mg/kg

Target: Soil (agricultural) - Value: 0.028 mg/kg

Target: Occasional Release - Value: 0.4 mg/l

Target: Sewage treatment plant - Value: 7 mg/l

Target: Fresh Water - Value: 0.04 mg/l

Target: Marine water - Value: 0.004 mg/l

Target: Marine water sediments - Value: 0.032 mg/kg

**8.2. Exposure controls**

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

# Safety Data Sheet

## ERFURT Vlies-Rauhfaser Kleister



Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	White flake powder	--	--
Odour:	Odorless	--	--
Odour threshold:	N.A.	--	--
pH:	9,5	--	4% in water solution
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes
COV:	< 0,05	UNI EN ISO 11890-2	--
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions

# Safety Data Sheet

## ERFURT Vlies-Rauhfaser Kleister



- 10.2. Chemical stability**  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions**  
None
- 10.4. Conditions to avoid**  
Stable under normal conditions.
- 10.5. Incompatible materials**  
None in particular.
- 10.6. Hazardous decomposition products**  
None.

---

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicological information of the product:

##### ERFURT Vlies-Rauhfaser Kleister

- a) acute toxicity  
Not classified  
Based on available data, the classification criteria are not met
- b) skin corrosion/irritation  
Not classified  
Based on available data, the classification criteria are not met
- c) serious eye damage/irritation  
Not classified  
Based on available data, the classification criteria are not met
- d) respiratory or skin sensitisation  
Not classified  
Based on available data, the classification criteria are not met
- e) germ cell mutagenicity  
Not classified  
Based on available data, the classification criteria are not met
- f) carcinogenicity  
Not classified  
Based on available data, the classification criteria are not met
- g) reproductive toxicity  
Not classified  
Based on available data, the classification criteria are not met
- h) STOT-single exposure  
Not classified  
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure  
Not classified  
Based on available data, the classification criteria are not met
- j) aspiration hazard  
Not classified  
Based on available data, the classification criteria are not met

Adverse health effects

None in particular.

Keep out of the reach of children and pets.

Toxicological information of the main substances found in the product:

2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3

- a) acute toxicity:  
Test: LD50 - Route: INGESTION - Species: Rat > 5000 mg/kg  
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg  
Test: LC50 - Route: Inhalation - Species: Rat > 20 mg/l - Duration: 1h
- b) skin corrosion/irritation:  
Test: OECD - Route: Skin - Species: Rabbit - Duration: 4h - Source: Not irritating

---

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

#### **ERFURT Vlies-Rauhfaser Kleister**

Not classified for environmental hazards

Based on available data, the classification criteria are not met

2,4,7,9-tetrametildec-5-in-4,7-diolo - CAS: 126-86-3

c) Bacteria toxicity:

Endpoint: EC50 - Species: Active sludge 2 630 mg/l - Duration h: 3

e) Plant toxicity:

Endpoint: EC50 - Species: Algae 2 15 mg/l - Duration h: 72 - Notes: Alghe cloroficee

g) Toxicity in water:

Endpoint: LC50 - Species: Fish - Pimephales promelas 2 36 mg/l - Duration h: 96 -

Notes: Cavedano americano

Endpoint: LC50 - Species: Fish 2 42 mg/l - Duration h: 96 - Notes: Cyprinus carpio

(Carpa)

Endpoint: EC50 - Species: Daphnia 2 88 mg/l - Duration h: 48 - Notes: Daphnia magna

- pulce d'acqua grande

### **12.2. Persistence and degradability**

N.A.

### **12.3. Bioaccumulative potential**

N.A.

### **12.4. Mobility in soil**

N.A.

### **12.5. Results of PBT and vPvB assessment**

vPvB Substances: None - PBT Substances: None

### **12.6. Other adverse effects**

None

---

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

Dispose of the product / container in an authorized waste disposal facility.

---

## **SECTION 14: Transport information**

### **14.1. UN number**

Not classified as dangerous in the meaning of transport regulations.

### **14.2. UN proper shipping name**

N.A.

### **14.3. Transport hazard class(es)**

N.A.

### **14.4. Packing group**

N.A.

### **14.5. Environmental hazards**

N.A.

### **14.6. Special precautions for user**

N.A.

### **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

N.A.

---

## **SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

# Safety Data Sheet

## ERFURT Vlies-Rauhfaser Kleister



Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

---

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

# Safety Data Sheet

## ERFURT Vlies-Rauhfaser Kleister



The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.